

Milling machine Starrag Heckert LX 151

Universal machining center

Machine type: [Starrag Heckert LX 151](#)

Control: Siemens 840 D

Year: 2007

Available after: sofort / now

Spindle running time: [h] aktuell 500, Tauschspindel 2020

Id 14737



Request now

United States

Mr

English

I agree to the privacy policy.

[→ privacy policy](#)

REQUEST QUOTATIONS

Specifications

Travel:

X-Axis: [mm] 1.100

Y-Axis: [mm] 400

Z-Axis: [mm] 400

A-Axes 360°, Rundachse Torquemotor

Spindle speeds: 200
[rpm]

Equipment

Chip conveyor

Internal cooling: [bar] 45

cooling system

Cooling tank: [l] 950

Chip rinsing pistol

Oil mist separator

B-Axes	+90/-90° Torquemotor
Rapid motion: [m/min.]	51
Spindle speeds: [rpm]	100
Swing: [mm]	400
Maximale Länge der Turbinenschaufeln / maximum length of blades: 700 mm	
direktangetriebene Kopfstation (Gegenspindel)	

Tool:	HSK 63
Spindle speeds: [rpm]	18.000
Spindle motor: [kW]	35 / 28

Toolchanger	
Tool capacity:	62
Max. Werkstücklänge: 700 mm	
Max. workpiece weight: [kg]	80

Machine weight: [kg]	17.000
Req. space (LxBxH): [m]	5,5 x 2,5 x 2,9

direktes Messsystem Linearachsen	
Caliper	Laser, 3D Taster
Werkstückwechselautomat mit Rüststation	
MMS	
Absaugung	
virtual blade machining	

Images



CONTACT US Tel: +49 (0) 611 5101990 E-Mail: info@stenzel.de